



Specifications Philips LED Downlight Coreline DN140B 11.5W 1100lm 120D - 840 Cool White | 162mm - White Reflector - Dali Dimmable

[View Product](#)

General Information

| | |
|--------------------------|-----------------------------|
| SKU | 234584 |
| EAN | 8710163325835 |
| Brand | Philips |
| Manufacturer Name | DN140B LED10S/840 PSED-E WR |
| Any Lamp all-in warranty | 5 Years |
| Average Lifetime (h) | 50000 |

Technical Information

| | |
|-----------------------------|-------------------|
| Emergency Lighting | No Emergency Unit |
| Tiltable | No |
| Technology | LED Integrated |
| Replaces (Watt) | 2x18 |
| Wattage | 11.5 |
| Voltage (V) | 220-240 |
| Dimmable | Dimmable |
| Colour Code | 840 Cool White |
| Colour temperature (Kelvin) | 4000 Cool White |
| Colour Rendering (Ra) | 80-89 |
| Colour of Light | White |
| Light colour options | Single Color |

| | |
|--------------------------|------------------------------------|
| Driver Included | Yes |
| Beam Angle (degree) | 120 |
| Luminous Flux (Lumen) | 1100 |
| Luminous Efficacy (lm/W) | 96 |
| Power factor | >0.95 |
| Installation Depth (mm) | 200 |
| Unified Glare Rating | < 25 - for hallways and staircases |
| Optical Cover | PC (Polycarbonate) |
| Suitable for Outdoor | No |
| Product Type Category | LED Downlight |

Fixture Information

| | |
|-----------------------|---|
| EOC8 | 32583500 |
| Mounting Method | Recessed |
| Cut out (mm) | 150 |
| IP-rating | IP20 |
| Operating Temperature | -20 to +40 |
| Housing | Aluminium |
| Colour of the Fixture | White |
| Colour of material | White |
| Fixture Connection | PIP [Push-in connector and pull relief] |
| Series | DN140B |

Dimensions

| | |
|---------------|-----|
| Height (mm) | 100 |
| Diameter (mm) | 162 |

Sensor Information

Type of sensor

No Sensor

Why Any-lamp?

 Order from the **largest lighting specialist** in Europe  **Customised** quotation

 **Up to 7 years warranty**  **Easy** return process

